

ACT ORIGINAL

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 04/03/2019 Version: 10.2

Generated : 04/03/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifie Product form I.1. Product identifie Product anne ACT ORIGINAL Product ode ACT ORIGINAL PRODUCT PR	SECTION 1. Identification of the subs	tance/mixture and of the company/undertaking
Product form : Mixture Product form : Mixture Product code : ACT ORIGINAL Product code : H005 Type of product : Detergent 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses 1.2.1. Relevant identified uses 1.2.1. Relevant identified uses Main use category : Professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet 3.1. Details of the supplier of the safety data sheet 3.2. Loses Acidic descaling toilet cleaner 1.4. Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26526 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements 2.4. Details according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : User CLP Signal word (CLP) : Warning		
Product code : H005 Type of product : Detergent 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses : Professional use and uses advised against 1.2. Relevant identified uses : Industrial/Professional use spec : Por professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DEREYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26240 Email: safety @selden.co.uk Emergency telephone number Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Shin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Signal word (CLP) : Warning		: Mixture
Type of product : Detergent 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDOM Tel: 01288 26226 Fax: 01288 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01288 26226 SECTION 2: Hazards identification 2.1. Classification acording to Regulation (EC) No. 1272/2008 [CLP] Skin corroson/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Signal word (CLP) : Warning	Product name	: ACT ORIGINAL
12. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet StaDEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDOM Tel: 01298 26226 5ELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDOM Tel: 01298 26226 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements: see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] : Kadditional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] : GHS07 : :	Product code	: H005
1.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2. Uses advised against . No additional information available . 1.3. Details of the supplier of the safety data sheet . SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tet: 01298 26540 Email: safety@aslden.co.uk 1.4. Emergency telephone number . Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification . 2.1. Classification of the substance or mixture . Classification according to Regulation (EC) No. 1272/2008 [CLP] . Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 . Adverse physicochemical, human health and environmental effects . No additional information available . 2.1. Label elements . Labelling according to Regulation (EC) No. 1272/2008 [CLP] . Hazard pictograms (CLP) .	Type of product	
1.2.1. Relevant identified uses Main use category : Professional use only Industrial/Professional use spec : For professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2.1. Uses advised against	1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Main use category : Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SLDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tet: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Signal word (CLP) : Warning		
Industrial/Professional use spec : For professional use only Use of the substance/mixture : Acidic descaling toilet cleaner 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED : STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Emergency number Emergency number 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : : : : : : : : : : : : : : : : : :		· Professional use
Use of the substance/mixture : Acidic descaling toilet cleaner 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		
1.2.2. Uses advised against Non-to-training interfactors No additional information available STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26240 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Emergency telephone number 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available Z2. Label elements Z.2. Label elements Experimentation (CLP) Hazard pictograms (CLP) : GHS07 : Signal word (CLP) :		
No additional information available 1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE; BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26526 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 Sections of the substance or mixture Statements: see section 16 Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available Z.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
1.3. Details of the supplier of the safety data sheet SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17.9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) : GHS07 : Signal word (CLP) :	•	
SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tei: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification Emergency number 2.1. Classification of the substance or mixture Hata Classification according to Regulation (EC) No. 1272/2008 [CLP] Hata Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available Z.2. Label elements 2.2. Label elements Emergency (CLP) Hazard pictograms (CLP) : GHS07 : Signal word (CLP) :		
Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2000000000000000000000000000000000000		
1.4. Emergency telephone number Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available Z.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)	SELDEN RESEARCH LIMITED	
Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)		
Emergency number Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)	1.4. Emergency telephone number	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		Mon to Fri 8 30am to 5 00nm - 01298 26226
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		Mon to Fin 8.30am to 3.00pm - 01236 20220
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning	SECTION 2: Hazards identification	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		xture
Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) Signal word (CLP) : Warning	Classification according to Regulation (EC) No	
Serious eye damage/eye irritation, Category 2 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning		
Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) : Warning		
Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		
No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning		
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning		invironmental effects
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		
Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning		
GHS07 Signal word (CLP) : Warning		'2/2008 [CLP]
Signal word (CLP) : Warning	Hazard pictograms (CLP)	
Signal word (CLP) : Warning		
Signal word (CLP) : Warning		· ·
Signal word (CLP) : Warning		
		GHS07
Hazard statements (CLP) : H315 - Causes skin irritation	Signal word (CLP)	: Warning
	Hazard statements (CLP)	: H315 - Causes skin irritation.
H319 - Causes serious eye irritation.		H319 - Causes serious eye irritation.
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.	Precautionary statements (CLP)	o , o
P280 - Wear eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.		
		P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.		
P337+P313 - If eye irritation persists: Get medical advice/attention.		
P362+P364 - Take off contaminated clothing and wash it before reuse.	2.2. Other hererde	F 302+F 304 - Take on contaminated clothing and wash it before reuse.
2.3. Other hazards No additional information available		

SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

ACT ORIGINAL

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2.	Mixtures	

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sulphamidic acid; sulphamic acid; sulfamic acid	(CAS-No.) 5329-14-6 (EC-No.) 226-218-8 (EC Index-No.) 016-026-00-0 (REACH-no) 01-2119488633-28	10 - 15	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures First-aid measures general	· Cat madical advice/attention if you feel unwell
-	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of water/
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Give nothing or a little water to drink. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the su No additional information available	bstance or mixture
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ec	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Expos	sure controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	

7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclue	ding any incompatibilities
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	

ACT ORIGINAL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters No additional information available

8.2. Exposure controls

Materials for protective clothing:

Not required for normal conditions of use

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Eye protection:

Safety glasses. EN 166

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

Not required for normal conditions of use

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical p	
9.1. Information on basic physical and ch	
Physical state	: Liquid
Appearance	: Mobile liquid.
Colour	: Blue.
Odour	: Fresh.
Odour threshold	: No data available
рН	: 1.7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.06
Solubility	: Miscible with water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

ACT ORIGINAL	H005
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.	
10.4. Conditions to avoid	
None under recommended storage and handling conditions (see section 7).	
10.5. Incompatible materials	

None under normal use.

10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
	pH: 1.7
Serious eye damage/irritation	: Causes serious eye irritation.
	рН: 1.7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	Net elecsified
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

Onionio aqualio loxiolty		
sulphamidic acid; sulphamic acid; su	lfamic acid (5329-14-6)	
LC50 fish 1	70.3 mg/l	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
sulphamidic acid; sulphamic acid; su	Ifamic acid (5329-14-6)	
Log Pow	0.1	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assess	sment	
No additional information available		
12.6. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations 13.1. Waste treatment methods

No additional information available

SECTION 14: Transport informatio In accordance with ADR / RID / IMDG / IATA /		
14.1. UN number		
UN-No. (ADR)	: Not applicable	
UN-No. (IMDG)	: Not applicable	
UN-No. (IATA)	: Not applicable	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: Not applicable	
Proper Shipping Name (IMDG)	: Not applicable	
Proper Shipping Name (IATA)	: Not applicable	

ACT ORIGINAL Safety Data Sheet		H005
	(REACH) with its amendment Regulation (EU) 2015/830	
14.3. Transport hazard class(es)		
ADR		
Transport hazard class(es) (ADR)	: Not applicable	
IMDG		
Transport hazard class(es) (IMDG)	: Not applicable	
ΙΑΤΑ		
Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (ADR)	: Not applicable	
Packing group (IMDG)	: Not applicable	
Packing group (IATA)	: Not applicable	
14.5. Environmental hazards Dangerous for the environment	: No	
U	: No	
Marine pollutant Other information		
	: No supplementary information available	
14.6. Special precautions for use Overland transport		
No data available		
Transport by sea		
No data available		
Air transport		
No data available		
	g to Annex II of Marpol and the IBC Code	
Not applicable		
SECTION 15: Regulatory info	rmation	
	nental regulations/legislation specific for the substance or mixture	
15.1.1. EU-Regulations		
Contains no REACH substances with A	nnex XVII restrictions	
Contains no substance on the REACH		
Contains no REACH Annex XIV substa		
Detergent Regulation : Labelling of cor	tents:	
Component		%
· ·		70
perfumes		
Directive 2012/18/EU (SEVESO III)		
15.1.2. National regulations		
United Kingdom		
British National Regulations	: Commission Regulation (EU) No. 453/2010 amending Regulation (E	C) No 1907/2006 of
Bhilish National Regulations	the European Parliament and of the Council on the Registration, Eva	
	and Restriction of Chemicals.	
	Classification Labelling Packaging Regulation; Regulation (EC) No 1	272/2008.
	Detergent Regulation (648/2004/EC).	
15.2. Chemical safety assessme	nt	
No additional information available		
SECTION 16: Other informati	pn	
Full text of H- and EUH-statements:		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eve Irrit. 2	Serious eve damage/eve irritation. Category 2	

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Document generated @ 04/03/2019 15:35:54

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product